



Inspection certificate

EU-REDcert-510-75240127

By means of an audit on **2024-06-25**, documented in a report

DEKRA Certification GmbH

Handwerkstraße 15, 70565 Stuttgart, Germany

confirms to

Biowanze S.A.

Rue Léon Charlier 11, 4520 Wanze, Belgium

REDcert-ID: 0351

the compliance with the requirements of the certification scheme

REDcert-EU

a scheme for demonstrating compliance with the sustainability criteria under the Directive (EU) 2018/2001 of the European Parliament and of the Council

This certificate serves as proof of compliance with the requirements of Directive (EU) 2018/2001 for the following scope(s):

(103) point of origin


Date of certification decision: 2024-07-26

This certificate is valid from 2024-08-01 to 2025-07-31

Stuttgart, 2024-07-26

Place, Date

Stamp, Signature





Annex to the certificate

Only valid in connection with the certificate!

EU-REDcert-510-75240127

Biowanze S.A.

Rue Léon Charlier 11, 4520 Wanze, Belgium

REDcert-ID: 0351

Decision on: 2024-07-26
Validity: from 2024-08-01 to 2025-07-31

Sustainable biomass used, processed or traded by the certified site

Type of biomass ¹	Category ²	Scope ³	Type of GHG calculation ⁴		
			NUTS2	DFV	AC
Ethanol	Final fuel	103	X	X	X
B-Starch	Biowaste, WaR	103	X	X	X
C-Starch	Biowaste, WaR	103	X	X	X
Expand list if necessary					

¹as checked and reported in the audit report, section "sustainable biomass data"

²please select biomass category

- AGRI (agricultural biomass e.g. rapeseed or other energy crops produced on farm land)
- Annex IX Part A (biomass listed under [Annex IX](#) part A of Directive (EU) 2018/2001)
- Annex IX Part B (biomass listed under [Annex IX](#) part B of Directive (EU) 2018/2001)
- WaR (other waste or residues not listed under Annex IX of Directive (EU) 2018/2001)

³applicable scope under which the sustainable biomass was handled

⁴please select applied GHG methodology

- NUTS2: NUTS2 value (values officially recognized by the European Commission)
- DFV: default value (disaggregated or total default value)
- AC: Actual value (based on individual calculation)